First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 7 of 7 returned.

1. Document ID: US 20040257073 A1

L89: Entry 1 of 7

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full Title Citation	Front Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawe De
							•		

2. Document ID: US 3321604 A

L89: Entry 2 of 7

File: USOC

May 23, 1967

US-PAT-NO: 3321604

DOCUMENT-IDENTIFIER: US 3321604 A

TITLE: Electronic oven

DATE-ISSUED: May 23, 1967

INVENTOR-NAME: STECCA ANTHONY J; BARNAS LOUIS A; DOKOS SOPHOCLES J; JARZEMBSKI

WILLIAM B ; NORRIS PAUL C

US-CL-CURRENT: 219/709, 219/745, 219/750, 331/101, 333/232

				•					 •		
	Full	Titl∈	Citation	Front	Review	Classification	Date	Reference	Claims	K004C	Drawe De
,			• • • • •		,	•	•		`		
							·····	······································	 	······································	

3. Document ID: US 3278868 A

L89: Entry 3 of 7

File: USOC

Oct 11, 1966

US-PAT-NO: 3278868

DOCUMENT-IDENTIFIER: US 3278868 A

TITLE: Cavity resonator

DATE-ISSUED: October 11, 1966

INVENTOR-NAME: ALFRED KACH

US-CL-CURRENT: 333/231

☐ 4. Document ID: US 2944133 A

L89: Entry 4 of 7

File: USOC

Jul 5, 1960

US-PAT-NO: 2944133

DOCUMENT-IDENTIFIER: US 2944133 A

TITLE: Radio frequency dielectric heating apparatus

DATE-ISSUED: July 5, 1960

INVENTOR-NAME: TIBBS CHRISTOPHER E M

US-CL-CURRENT: <u>219/770</u>; <u>219/778</u>, <u>333/219</u>

Full Title Citation Front Review Classification Date Reference 2000 March Claims KMC Draw De

☐ 5. Document ID: US 2784378 A

L89: Entry 5 of 7

File: USOC .

Mar 5, 1957

US-PAT-NO: 2784378

DOCUMENT-IDENTIFIER: US 2784378 A

TITLE: Magnetically controlled microwave structures

DATE-ISSUED: March 5, 1957

INVENTOR-NAME: YAGER WILLIAM A

US-CL-CURRENT: 332/163; 332/173, 333/230, 333/24.1, 333/81B

Full Title Citation Front Review Classification Date Reference Communication Claims RMC Draw De

☐ 6. Document ID: US 2764742 A

L89: Entry 6 of 7

File: USOC

Sep 25, 1956

US-PAT-NO: 2764742


DOCUMENT-IDENTIFIER: US 2764742 A

TITLE: Variable tuning structures

DATE-ISSUED: September 25, 1956

INVENTOR-NAME: CADY CHARLES E; WAGNER ROSWELL W

US-CL-CURRENT: 333/221, 336/144



US-PAT-NO: 2626356

DOCUMENT-IDENTIFIER: US 2626356 A

TITLE: Ultrahigh-frequency generator

DATE-ISSUED: January 20, 1953

INVENTOR-NAME: GIBSON JOHN E

US-CL-CURRENT: 331/70; 315/5.16, 315/5.44, 330/45, 331/181, 331/98, 333/235

lear	Generate Collection Print Fwd Refs Bkwd Refs	Generate OACS
[ī	Term	Documents
ال	FIRST	7836164
빌	FIRSTS	1061
ľ	SECOND	7047557
וֹן	SECONDS	681773
	THIRD	2721769
	THIRDS	58558
	PRIMARY	1992369
	PRIM	50981
	SECONDARY	1189300
	SEC	780638
Ī	TERTIARY	275132

PRIMARY OR SECONDARY OR TERTIARY OR "1ST" OR "2ND" OR "3RD") SAME (CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY OR SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR CONTROLLABLE OR ADJUST\$4) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR INDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME (STATE OR "ON" OR "OFF" OR ACTIVE OR INACTIVE OR ACTIVE OR ACTIVE OR MODE))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.

There are more results than shown above. Click here to view the entire set

Display Format: -

Change Format

Previous Page

Next Page

Go to Doc#

WEST Search History

Hide Items Restore Clear Cancel

DATE: Tuesday, April 10, 2007

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
	DB = 1	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=ADJ	•
Γ	L90	L89 and ((magnetic adj resonan\$2) or MRI or NMR)	1
٢	L89	L88 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	7
Г	L88	L87 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel) same ((length or distance) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or substructure or sub-array) same (axis or axes))))	12
Γ	L87	L86 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same (extend\$4 or project\$4) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes)))	468
Γ.	L86	((324/300-322.ccls.) or (333/219-235.ccls.))	15531
Γ	L85	L84 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same (extend\$4 or project\$4) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes)))	1
Γ	L84	L83 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	2
Ľ	L83	L1 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel) same ((length or distance) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes))))	
		L81 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR	

Г	L82	CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel) same ((length or distance) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or substructure or sub-array) same (axis or axes))))	
Γ	L81	L79 and ((length or distance) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes)))	2
Γ	L80	L79 and (distance)	1
Γ	L79	L78 and ((select\$4 or selectively or choose or chosen or choosing or choosable or choice) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	2
	L78	L76 and ((control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable) same (radio-frequency or "RF" or radiofrequency or "radio frequency" or frequency) same ((transmit\$4 or transmission or sent or send\$3 or excit\$4 or excitation) with (current)))	2
r.	L77	L76 and ((select\$4 or selectively or choose or chosen or choosing or choosable or choice) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable) same (radio-frequency or "RF" or radiofrequency or "radio frequency" or frequency) same ((transmit\$4 or transmission or sent or send\$3 or excit\$4 or excitation) with (current)))	0
Γ	L76	L75 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same ((transmit\$4 or transmission or sent or send\$3 or excit\$4 or excitation) with (current)))	2
Г	L75	L74 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same (current))	. 3
Г	L74	L73 and ((select\$4 or selectively or choose or chosen or choosing or choosable or choice) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (tune or tuned or tuning or tunable or align\$4) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY))	3
Γ.	L73	L72 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel))	6
·	L72	L71 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	108
۲	L71	Il and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same (extend\$4 or project\$4) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or	423

		substructure or subarray or sub-array) same (axis or axes)))	
٢	L70	L69 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	1
Γ	L69	L68 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel))	2
Г	L68	L18 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same (extend\$4 or project\$4) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes)))	54
۲	L67	L66 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same (extend\$4 or project\$4) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or sub-array) same (axis or axes)))	. 1
Γ	L66	L65 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (port or COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	4
Γ	L65	L64 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	4
Γ	L64	L56 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or subarray) same (axis or axes)))	6
Γ	L63	L62 and (((coil or antenna or probe or winding)same(COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or subarray) same (axis or axes)))	1
Γ	L62	L61 and ((section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (axis or axes))	2
Г	L61	L60 and (((tune or tuned or tuning or tunable or align\$4) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or	2

	•		
		controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or active or activat\$4 or inactiv\$4 or mode)))	
Γ	L60	L59 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	3
Γ	L59	L58 and ((select\$4 or selectively or choose or chosen or choosing or choosable or choice) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable or adjust\$4) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (tune or tuned or tuning or tunable or align\$4) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY))	4
Г	L58	L57 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same (current))	7
Γ	L57	L56 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (port or COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	8
Γ	L56	L55 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)) same (parallel))	19
Г	L55	L54 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4)))	19
Г	L54	L18 and ((((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4))) same (parallel))	. 19
Γ	L53	L19 and ((((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4))) same (parallel))	12
Γ.	L52	L49 and ((((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4))) same (parallel))	1
Γ	L51	L50 and (multiplex\$3 or diplex\$3 or triplex\$3 or mux or multiplexer)	2
Γ	L50	L49 and ((first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd") same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode or channel or deactivat\$4 or de-activat\$4))	3
٠		L48 and ((((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR	

٢	L49	CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4))) same (coil or antenna or probe or winding))	3
Γ	- L48	L26 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4)))	3
Γ	L47	L46 and (((auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2") same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) same ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4)))	1 .
Γ	- L46	L45 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same ((transmit\$4 or transmission or sent or send\$3 or excit\$4 or excitation) with (current)))	4
Γ	L45	L44 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same (current))	4
Γ	- L44	L43 and ((transmit\$4 or transmission or sent or send\$3 or excit\$4 or excitation) with (current))	4
Γ	L43	L26 and (current with (distribut\$4))	4
Γ	L42	L31 and (multiplex\$4 or diplex\$3 or triplex\$3 or mux or multiplexer)	10
٢	L41	L33 and (multiplex\$4 or diplex\$3 or triplex\$3 or mux or multiplexer)	10
Γ	L40	L33 and (multiplex\$4 or diplex\$3 or triplex\$3)	10
Γ	L39	L38 and (multiplex\$4 or diplex\$3 or triplex\$3)	10
۲	- L38	L33 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array or port or channel) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode or channel or deactivat\$4 or de-activat\$4))	15
٢	- L37	L33 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array or port) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode or channel or deactivat\$4 or de-activat\$4))	11
٢	- L36	L33 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array or port) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode or channel oe deactivat\$4 or de-activat\$4))	11
Г	- L35	L33 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array or port) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	11
		L33 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or	

Г	L34	part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array) same (port or COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	. 9
Γ	L33	L32 and ((lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after) same (current))	30
Γ	L32	L31 and ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4) same (coil or antenna or probe or winding))	31
Г	L31	L28 and ((tune or tuned or tuning or tunable or align\$4) same (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array or COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or	36
		mode))	
Γ	L30	L28 and (offset\$4 or off-set\$4)	-15
Γ	L29	L28 and (offset\$4 or off-set\$4)	15
Γ	L28	L25 and ((tune or tuned or tuning or tunable or align\$4) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable) same (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode))	36
Γ	L27	L25 and (monski.in.)	2
Γ	L26	L25 and ((select\$4 or selectively or choose or chosen or choosing or choosable or choice) same (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable) same (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3) same (tune or tuned or tuning or tunable or align\$4) same (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY))	8
Г	L25	L24 and (ring or loop or anulus or anular\$2 or annular\$2 or ferrules)	85
Γ	L24	L23 and (capacit\$4 or capacitively)	87
Γ	L23	L22 and (rod or bar or rung)	. 89
Γ	L22	L21 and (shield\$4)	185
Γ	L21	L20 and ((induct\$4 or inductively) same (coupl\$4 or decoupl\$4 or de-coupl\$4))	355
Г	L20	L19 and (induct\$4 or inductively)	875
Γ	L19	L18 and (overlap\$4 or over-lap\$4)	1306
Γ.	L18	L17 and (isolat\$4 or individual\$2 or independent\$2 or separat\$4 or respectiv\$3)	2692
Γ	L17	L16 and (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)	2719
Γ	L16	L15 and (lag\$4 or lead\$4 and below or above or front or back or behind or ahead or before or after)	2731
Γ	L15	L14 and (radio-frequency or "RF" or radiofrequency or "radio frequency" or frequency)	2737
Γ	L14	L13 and (coil or antenna or probe or winding)	8726
Γ	L13	L12 and (control\$4 or evaluat\$4 or PIN or diode or relay or switch\$4 or analysis or analyz\$4 or controllable)	9652

Γ	L12	L11 and (select\$4 or selectively or choose or chosen or choosing or choosable or choice)	9706
Γ	L11	L10 and (state or "on" or "off" or active or inactive or activat\$4 or inactiv\$4 or mode)	9885
Г	L10	L8 and (current)	10141
Γ	L9	L8 and (currrent)	7
Γ	L8	L7 and (section or portion\$4 or subsection\$4 or sub-section\$4 or segment\$3 or segmentation or part or segmentable or sectionable or sub-structure or substructure or subarray or sub-array)	12214
Γ	L7	L6 and (auxiliary or auxilliary or additional or separate or another or supplemental\$2 or "adjacent\$2")	12266
Γ	L6	L5 and (resonan\$2 or resonance or resonat\$4)	12870
<u>. </u>	L5	L4 and (tune or tuned or tuning or tunable or align\$4)	17211
Γ	L4	L3 and (coupl\$4 or decoupl\$4 or de-coupl\$4)	44858
Γ	L3	L2 and (first or second or third or primary or secondary or tertiary or "1st" or "2nd" or "3rd")	78844
Г	L2	L1 and (head or birdcage or bird-cage or "bird cage" or cylinder or cylindrical\$2 or brain or neurovascular\$3 or "NVA")	83749
Γ	Ll	((magnetic adj resonan\$2) or MRI or NMR)	249632

END OF SEARCH HISTORY

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 8 of 8 returned.

☐ 1. Document ID: US 20070007964 A1

L26: Entry 1 of 8

.File: PGPB

Jan 11, 2007

PGPUB-DOCUMENT-NUMBER: 20070007964

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20070007964 A1

TITLE: RF coil for imaging system

PUBLICATION-DATE: January 11, 2007

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Vaughan; J. Thomas JR.

Stillwater

MN

US

US-CL-CURRENT: 324/322; 324/318

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

Document ID: US 20060033501 A1

L26: Entry 2 of 8

File: PGPB

Feb 16, 2006

PGPUB-DOCUMENT-NUMBER: 20060033501

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20060033501 A1

TITLE: $\underline{\mathsf{RF}}$ coil for imaging system

PUBLICATION-DATE: February 16, 2006

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Vaughan; J. Thomas JR.

Stillwater

MN

US

US-CL-CURRENT: <u>324/322</u>; <u>324/318</u>

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KMC | Draw, De

3. Document ID: US 20040257073 A1

Record List Display

L26: Entry 3 of 8

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full Title Citation	Front Review	Classification	Date	Reference	Sequences	Attachments	Claims	R004C	Drave De
7									

☐ 4. Document ID: US 20040140808 A1

L26: Entry 4 of 8

File: PGPB

Jul 22, 2004

PGPUB-DOCUMENT-NUMBER: 20040140808

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040140808 A1

TITLE: RF coil for imaging system

PUBLICATION-DATE: July 22, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Vaughan, J. Thoma's JR.

Stillwater

MN

US

US-CL-CURRENT: 324/318; 324/322

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

5. Document ID: US 20030146750 A1

L26: Entry 5 of 8

File: PGPB

Aug 7, 2003

PGPUB-DOCUMENT-NUMBER: 20030146750

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20030146750 A1

TITLE: RF coil for imaging system

PUBLICATION-DATE: August 7, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Vaughan, J. Thomas JR.

Stillwater

MN

US

US-CL-CURRENT: 324/318; 707/104.1

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

6. Document ID: US 6633161 B1

L26: Entry 6 of 8

File: USPT

Oct 14, 2003

US-PAT-NO: 6633161

DOCUMENT-IDENTIFIER: US 6633161 B1

TITLE: RF coil for imaging system

DATE-ISSUED: October 14, 2003

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Vaughan, Jr.; J. Thomas

Stillwater

MN

US-CL-CURRENT: 324/318; 324/322

Full Title Citation Front Review Classification Date Reference Company Claims ICMC Draws De

7. Document ID: US 6291994 B1

L26: Entry 7 of 8

File: USPT

Sep 18, 2001

US-PAT-NO: 6291994

DOCUMENT-IDENTIFIER: US 6291994 B1

TITLE: Active Q-damping sub-system using nuclear quadrupole resonance and nuclear

 $\underline{\text{magnetic resonance}} \ \ \text{for improved contraband detection}$

DATE-ISSUED: September 18, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Kim; Yong-Wah

Toledo

ОН

Magnuson; Erik E.

Cardiff

CA

Skvoretz; David C.

Poway

CA

US-CL-CURRENT: 324/300; 324/318, 324/322

8. Document ID: US 5020411 A

L26: Entry 8 of 8

File: USPT

Jun 4, 1991

US-PAT-NO: 5020411

DOCUMENT-IDENTIFIER: US 5020411 A

TITLE: Mobile assault logistic kinetmatic engagement device

DATE-ISSUED: June 4, 1991

INVENTOR-INFORMATION:

NAME C

CITY

STATE

ZIP CODE

COUNTRY

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 3 of 3 returned.

☐ 1. Document ID: US 20040257073 A1

L49: Entry 1 of 3

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full Title Citation F	ront Review	Classification	Date	Reference	Sequences	Attachments	Claims	KedC	Drawu De
□ 2. Document	ID: US 629	91994 B1					,		
L49: Entry 2 of 3		•	E	File: US	PT		Sep	18,	2001

US-PAT-NO: 6291994

DOCUMENT-IDENTIFIER: US 6291994 B1

TITLE: Active Q-damping sub-system using nuclear quadrupole resonance and nuclear

magnetic resonance for improved contraband detection

DATE-ISSUED: September 18, 2001

INVENTOR-INFORMATION:

NAME

CITY

STATÈ

ZIP CODE

COUNTRY

Kim; Yong-Wah

Toledo

OH

Magnuson; Erik E. Skvoretz; David C. Cardiff Poway CA CA

US-CL-CURRENT: 324/300; 324/318, 324/322

Full Title Citation Front Review Classification Date Reference

☐ 3. Document ID: US 5020411 A

L49: Entry 3 of 3

File: USPT

Jun 4, 1991

US-PAT-NO: 5020411

DOCUMENT-IDENTIFIER: US 5020411 A

TITLE: Mobile assault logistic kinetmatic engagement device

DATE-ISSUED: June 4, 1991

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Rowan; Larry

Culver

CA

90230

US-CL-CURRENT: 89/1.11; 376/319, 60/203.1, 89/8

ear	Generate Collection Print Fwd Refs Bkwd Refs	Generate	OAC
T	erm	Documents	
Ā	UXILIARY	752387	
A	UXILIARIES	37878	
A	UXILIARYS	18	
Ā	UXILLIARY	4784	
A	UXILLIARIES	231	
A	UXILLIARYS	. 0	
A	DDITIONAL	3402015	:
A	DDITIONALS	50	
S	EPARATE	3066152	
S	EPARATES	365227	
A	NOTHER .	13	
A S (C	L48 AND (((AUXILIARY OR AUXILLIARY OR DDITIONAL OR SEPARATE OR ANOTHER OR UPPLEMENTAL\$2 OR "ADJACENT\$2") SAME COMPONENT OR ELEMENT OR CIRCUIT OR IRCUITRY)) SAME ((INDUCT\$4 OR INDUCTIVELY) AME (COUPL\$4 OR DECOUPL\$4))) AME (COIL OR ANTENNA OR PROBE OR	3	

There are more results than shown above. Click here to view the entire set.

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

. \(\Gamma \) 1. Document ID: US 20040257073 A1

L51: Entry 1 of 2

File: PGPB.

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: <u>324/300</u>

į	Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	Konc	Drawt De

2. Document ID: US 5020411 A

L51: Entry 2 of 2

File: USPT

Jun 4, 1991

US-PAT-NO: 5020411

DOCUMENT-IDENTIFIER: US 5020411 A

TITLE: Mobile assault logistic kinetmatic engagement device

DATE-ISSUED: June 4, 1991

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Rowan; Larry

Culver

CA

90230

US-CL-CURRENT: 89/1.11; 376/319, 60/203.1, 89/8

Full Title Citation Front Review Classification Date Reference Claims RMIC Draws De Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS




Term	Documents
MUX	30814
MUXES	3320
MULTIPLEXER	168743
MULTIPLEXERS	51759
MULTIPLEX\$3	0
MULTIPLEX	138135
MULTIPLEXA	1
MULTIPLEXAGE	. 25
MULTIPLEXAL	4
MULTIPLEXAR:	7
MULTIPLEXARE	1
(L50 AND (MULTIPLEX\$3 OR DIPLEX\$3 OR TRIPLEX\$3 OR MUX OR MULTIPLEXER)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

There are more results than shown above. Click here to view the entire set.

			 	the same of the sa
Display Format:	-	_		Change Format

Previous Page Next Page Go to Doc#



First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040257073 A1

L52: Entry 1 of 1

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

r .	Generate Collection Print Fwd Refs Bkwd Refs	Generate O/
Tei	rm	Documents
ΑUΣ	XILIARY	752387
AUΣ	XILIARIES	37878
ΑUΣ	XILIARYS	18
ΑUΣ	XILLIARY	4784
ΑU	XILLIARIES .	231
ΑUΣ	XILLIARYS	0
ADI	DITIONAL	3402015
ADI	DITIONALS	50
SEI	PARATE	3066152
SEI	PARATES	365227
ANG	OTHER	13

SUPPLEMENTAL\$2 OR "ADJACENT\$2") SAME (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) SAME ((INDUCT\$4 OR INDUCTIVELY) SAME (COUPL\$4 OR DECOUPL\$4 OR DE-COUPL\$4))) SAME (PARALLEL))).PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD. There are more results than shown above. Click here to view the entire set.

> Display Format: -Change Format

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 4 of 4 returned.

1. Document ID: US 20040257073 A1

L59: Entry 1 of 4

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY .

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawe D
												•

☐ 2. Document ID: US 5666055 A

L59: Entry 2 of 4

File: USPT

Sep 9, 1997

US-PAT-NO: 5666055

DOCUMENT-IDENTIFIER: US 5666055 A

TITLE: Surface $\underline{\text{coil}}$ system for a single channel $\underline{\text{NMR}}$ receiver

DATE-ISSUED: September 9, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Jones; Randall W.

Davis; Fred

Elkhorn LaVista NE NE 68022 68128

US-CL-CURRENT: 324/318; 324/322

Full Title Citation Front Review Classification Date Reference

7. 3. Document ID: US 4620155 A

L59: Entry 3 of 4

File: USPT

Oct 28, 1986

US-PAT-NO: 4620155

DOCUMENT-IDENTIFIER: US 4620155 A

TITLE: Nuclear magnetic resonance imaging antenna subsystem having a plurality of

non-orthogonal surface coils

DATE-ISSUED: October 28, 1986

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Edelstein; William A.

Schenectady

NY

US-CL-CURRENT: 324/322; 324/318

Full Title Citation Front Review Classification Date Reference Claims KMC Draw De

√ 4. Document ID: US 2301184 A

L59: Entry 4 of 4

File: USOC

Nov 10, 1942

US-PAT-NO: 2301184

DOCUMENT-IDENTIFIER: US 2301184 A

TITLE: Electrical clarinet

DATE-ISSUED: November 10, 1942

INVENTOR-NAME: ARNOLD LEO F J

US-CL-CURRENT: 84/742; 984/344

ar]	Generate Collection Print Fwd Refs Bkwd Refs	Generate OA
Ter	· · · · · · · · · · · · · · · · · · ·	Documents
SEI	LECTIVELY	1533502
SEI	LECTIVELIES	0
SEI	LECTIVELYS	5
СНС	OOSE	195605
СНС	OOSES	71152
СНС	DSEN	1031379
СНС	DSENS	4

CHOOSING	146694
CHOOSINGS	8
CHOOSABLE	258
CHOOSABLES	0
(L58 AND ((SELECT\$4 OR SELECTIVELY OR CHOOSE OR CHOSEN OR CHOOSING OR CHOOSABLE OR CHOICE) SAME (CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY OR SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR CONTROLLABLE OR ADJUST\$4) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR INDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME (TUNE OR TUNED OR TUNING OR TUNABLE OR ALIGN\$4) SAME (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUIT OR	4

		****	And the second				
Display Format:	-	(Change	Fo	rm	ıat	

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 20040257073 A1

L60: Entry 1 of 3

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawe De
		· · · · · ·										
						٠						

Document ID: US 5666055 A

L60: Entry 2 of 3

File: USPT

Sep 9, 1997

US-PAT-NO: 5666055

DOCUMENT-IDENTIFIER: US 5666055 A

TITLE: Surface coil system for a single channel NMR receiver

DATE-ISSUED: September 9, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Jones; Randall W.

Elkhorn

NE

68022

Davis; Fred

LaVista

NE

68128

US-CL-CURRENT: 324/318; 324/322

Full Title Citation Front Review Classification Date Reference Claims KWC Draw D

☐ 3. Document ID: US 2301184 A

L60: Entry 3 of 3 File: USOC Nov 10, 1942

US-PAT-NO: 2301184

DOCUMENT-IDENTIFIER: US 2301184 A

TITLE: Electrical clarinet

DATE-ISSUED: November 10, 1942

INVENTOR-NAME: ARNOLD LEO F J

US-CL-CURRENT: 84/742; 984/344

lear	Generate Collection Print Fwd Refs Bkwd Refs	Generate OAC
Ī	Term	Documents
	FIRST	7836164
ا آا	FIRSTS	1061
	SECOND	7047557
Ī	SECONDS	681773
Ī	THIRD	2721769
	THIRDS	58558
וֹן	PRIMARY	1992369
ľ	PRIM	50981
	SECONDARY	1189300
	SEC	780638
ŀ	TERTIARY	275132
	(L59 AND ((FIRST OR SECOND OR THIRD OR PRIMARY OR SECONDARY OR TERTIARY OR "1ST" OR "2ND" OR "3RD") SAME (CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY OR SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR CONTROLLABLE OR ADJUST\$4) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR INDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME (STATE OR "ON" OR "OFF" OR ACTIVE OR INACTIVE OR ACTIVE OR	3

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

1. Document ID: US 20040257073 A1

L61: Entry 1 of 2

· File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

										·		
Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	K00C	Drawu De
-									•			

☐ 2. Document ID: US 5666055 A

L61: Entry 2 of 2

File: USPT

Sep 9, 1997

US-PAT-NO: 5666055

DOCUMENT-IDENTIFIER: US 5666055 A

TITLE: Surface $\underline{\text{coil}}$ system for a single channel $\underline{\text{NMR}}$ receiver

DATE-ISSUED: September 9, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Jones; Randall W.

Elkhorn.

NE

68022

Davis; Fred

LaVista

NE

68128

US-CL-CURRENT: <u>324/318</u>; <u>324/322</u>

Full T	itle Citation	Front	Review	Classi	fication	Date	Reference	N. 7	100	THE PARTY OF	 Claims	юме	Draws De
·						-							
Clear	Gener	ate Colle	ection		Print	F	wd Refs		Bkwd	Refs	Genera	ite OA	CS

Term	Documents
TUNE	120363
TUNES	18.605
TUNED	174703
TUNEDS	0
TUNING	179830
TUNINGS	826
TUNABLE	53171
TUNABLES	44
COMPONENT	3063550
COMPONENTS	3542659
ELEMENT	3834634
(L60 AND (((TUNE OR TUNED OR TUNING OR TUNABLE OR ALIGN\$4) SAME (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) SAME ((FIRST OR SECOND OR THIRD OR PRIMARY OR SECONDARY OR TERTIARY OR "1ST" OR "2ND" OR "3RD") SAME (CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY OR SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR CONTROLLABLE OR ADJUST\$4) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR INDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME (STATE OR "ON" OR "OFF" OR ACTIVE OR INACTIVE OR ACTIVAT\$4 OR INACTIV\$4 OR MODE)))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

<u>There are more results than shown above. Click here to view the entire set.</u>

Display Format:	-	Change Format

<u>Previous Page</u> <u>Next Page</u> <u>Go to Doc#</u>

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20040257073 A1

L63: Entry 1 of 1

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

lear	Generate Collection Print Fwd Refs Bkwd Refs	Generate OAC
	Term	Documents
	COIL	1335125
	COILS	442793
	ANTENNA	405437
	ANTENNAS	97642
.	PROBE	403790
	PROBES	189855
	WINDING	734350
.	WINDINGS	248167
	COMPONENT	3063550
	COMPONENTS	3542659
	ELEMENT	3834634

OR CIRCUITRY)) SAME ((SECTION OR PORTION\$4 OR SUBSECTION\$4 OR SUB-SECTION\$4 OR SEGMENT\$3 OR SEGMENTATION OR PART OR SEGMENTABLE OR SECTIONABLE OR SUB-STRUCTURE OR SUBSTRUCTURE OR SUBARRAY OR SUB-ARRAY) SAME (AXIS OR AXES)))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.

There are more results than shown above. Click here to view the entire set.

Display Format: - Change Format

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 4 of 4 returned.

1. Document ID: US 20070066885 A1

L65: Entry 1 of 4

File: PGPB

Mar 22, 2007

PGPUB-DOCUMENT-NUMBER: 20070066885

PGPUB-FILING-TYPE:

DOCUMENT-IDENTIFIER: US 20070066885 A1

TITLE: Cavity Resonator For MR Systems

PUBLICATION-DATE: March 22, 2007

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Vaughan; John T.

Stillwater

MN

US

US-CL-CURRENT: 600/411; 324/318, 600/421

Full Title Citation Front Review Classification Date Reference Sequences Attochments Claims KMC Draw. D

2. Document ID: US 20040257073 A1

L65: Entry 2 of 4

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: <u>324/300</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

3. Document ID: US 5202635 A

L65: Entry 3 of 4

File: USPT

Apr 13, 1993

US-PAT-NO: 5202635

DOCUMENT-IDENTIFIER: US 5202635 A

TITLE: Radio frequency volume resonator for nuclear magnetic resonance


DATE-ISSUED: April 13, 1993

·INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Srinivasan; Ravi Philadelphia PA Murphy-Boesch; Joseph Lafayette Hills PA

US-CL-CURRENT: 324/322; 324/318



4. Document ID: US 5194811 A

L65: Entry 4 of 4

File: USPT

Mar 16, 1993

US-PAT-NO: 5194811

DOCUMENT-IDENTIFIER: US 5194811 A

TITLE: Radio frequency volume resonator for nuclear magnetic resonance

DATE-ISSUED: March 16, 1993

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Murphy-Boesch; Joseph Lafayette Hill PA Srinivasan; Ravi Philadelphia PA

US-CL-CURRENT: 324/322; 324/318 ·

Generate Collection Print t	Fwd Refs Generate O
Term	Documents
FIRST	7836164
FIRSTS	1061
SECOND	7047557
SECONDS	681773
THIRD	2721769

THIRDS	58558
PRIMARY	1992369
PRIM	50981
SECONDARY	1189300
SEC	780638
TERTIARY	275132
(L64 AND ((FIRST OR SECOND OR THIRD OR PRIMARY OR SECONDARY OR TERTIARY OR "1ST" OR "2ND" OR "3RD") SAME (CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY OR SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR CONTROLLABLE OR ADJUST\$4) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR INDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME (STATE OR "ON" OR "OFF" OR ACTIVE OR INACTIVE OR ACTIVAT\$4 OR INACTIV\$4 OR MODE))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	4


There are more results than shown above. Click here to view the entire set.

Display Format:	 Change Format

Next Page

Go to Doc#

Previous Page



First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

□ 1. Document ID: US 20040257073 A1

L67: Entry 1 of 1

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Clear	Generate Collection Print Fwd Refs Bkwd Refs	Generate OACS
F	Term	Documents
	COIL	1335125
Ī	COILS	442793
Ī	ANTENNA	405437
	ANTENNAS	97642
	PROBE	403790
	PROBES	189855
[WINDING	734350
	WINDINGS	248167
	COMPONENT	3063550
	COMPONENTS	3542659
}[ELEMENT	3834634

OR CIRCUITRY)) SAME (EXTEND\$4 OR PROJECT\$4)
SAME ((SECTION OR PORTION\$4 OR SUBSECTION\$4
OR SUB-SECTION\$4 OR SEGMENT\$3 OR SEGMENTATION
OR PART OR SEGMENTABLE OR SECTIONABLE OR SUBSTRUCTURE OR SUBSTRUCTURE OR SUBARRAY OR SUBARRAY) SAME (AXIS OR
AXES)))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.

There are more results than shown above. Click here to view the entire set.

Display Format: - Change Format

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

1. Document ID: US 20040257073 A1

L69: Entry 1 of 2

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawe De
-												

2. Document ID: US 7106063 B1

L69: Entry 2 of 2

File: USPT

Sep 12, 2006

US-PAT-NO: 7106063

DOCUMENT-IDENTIFIER: US 7106063 B1

TITLE: Axially constrained RF probe coil

DATE-ISSUED: September 12, 2006

INVENTOR-INFORMATION:

NAME

CITY .

STATE

ZIP CODE

COUNTRY

Zens; Albert P. Nakatani; Peter Salinas Concord CA CA US US

US-CL-CURRENT: 324/318; 324/422

Full Title Citation Front Review Classification Date Reference Claims KWIC Draws D.

Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Term	Documents
AUXILIARY	752387
AUXILIARIES	37878
AUXILIARYS	18
AUXILLIARY	4784
AUXILLIARIES	231
AUXILLIARYS	0
ADDITIONAL	3402015
ADDITIONALS	50
SEPARATE	3066152
SEPARATES	365227
ANOTHER	13
(L68 AND (((AUXILIARY OR AUXILLIARY OR ADDITIONAL OR SEPARATE OR ANOTHER OR SUPPLEMENTAL\$2 OR "ADJACENT\$2") SAME (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) SAME ((INDUCT\$4 OR INDUCTIVELY) SAME (COUPL\$4 OR DECOUPL\$4 OR DECOUPL\$4)) SAME (PARALLEL))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Display Format: -Change Format

Previous Page Next Page Go to Doc# First Hit Fwd Refs

Previous Doc

Next Doc

Go to Doc#

End of Result Set

Generate Collection

Print

L69: Entry 2 of 2

File: USPT

Sep 12, 2006

US-PAT-NO: 7106063

DOCUMENT-IDENTIFIER: US 7106063 B1

TITLE: Axially constrained RF probe coil

DATE-ISSUED: September 12, 2006

INVENTOR-INFORMATION:

NAME CITY

STATE

ZIP CODE COUNTRY

Zens; Albert P. Nakatani; Peter Salinas Concord CÀ CA US . US

ASSIGNEE-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

TYPE CODE

Varian, Inc.

Palo Alto

CA

US

02

APPL-NO: 11/198077 [PALM]
DATE FILED: August 5, 2005

INT-CL-ISSUED:

TYPE IPC

DATE

IPC-OLD

IPCP G01V3/00

20060101 G01V003/00

INT-CL-CURRENT:

TYPE IPC

DATE

CIPP G01 V 3/00

20060101

US-CL-ISSUED: 324/318; 324/422 US-CL-CURRENT: 324/318; 324/422

FIELD-OF-CLASSIFICATION-SEARCH: 324/318, 324/322, 324/319, 324/309, 324/307,

324/300, 600/410, 600/422

See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

Clear

PAT-NO

ISSUE-DATE

PATENTEE-NAME

US-CL

Γ	4388601	June 1983	Sneed et al.	333/227
Γ	4517516	May 1985	Hill et al.	
Г	<u>4549136</u>	October 1985	Zens	
Γ.	4607224	August 1986	Codrington	
Γ.	5192911	March 1993	Hill et al.	
<u> </u>	6008650	December 1999	Behbin	
	6054855	April 2000	Anderson	324/318
	6917201	July 2005	de Swiet	

ART-UNIT: 2859

PRIMARY-EXAMINER: Shrivastav; Btij B.

ATTY-AGENT-FIRM: Berkowitz; Edward H. Fishman; Bella

ABSTRACT:

An NMR resonant structure is formed of axial conductors (54a, 54b, 54c, and 54d) and end members (50,51), supporting said conductors to form a $\underline{\text{coil}}$ structure (8) of desired electrical topology wherein the end members combine the function of $\underline{\text{RF}}$ interconnects between $\underline{\text{selected}}$ axial conductors (inductors) with an axial constraint on $\underline{\text{RF}}$ field prevailing outside the axial bounds of the end members, and if so desired, comprise a $\underline{\text{selected}}$ capacitance 61 for the $\underline{\text{resonant}}$ structure.

10 Claims, 12 Drawing figures

Previous Doc Next Doc Go to Doc#



First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 20040257073 A1

L74: Entry 1 of 3

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full Title Citation Front Revi	w Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw, De

2. Document ID: US 3103623 A

L74: Entry 2 of 3

File: USOC

Sep 10, 1963

US-PAT-NO: 3103623

DOCUMENT-IDENTIFIER: US 3103623 A

TITLE: Nuclear gyroscope

DATE-ISSUED: September 10, 1963

INVENTOR-NAME: GREENWOOD JR IVAN A

US-CL-CURRENT: 324/302; 73/514.39, 74/5R

Full Title Citation Front Review Classification Date Reference

☐ 3. Document ID: US 2973471 A

L74: Entry 3 of 3 .

File: USOC

Feb 28, 1961

US-PAT-NO: 2973471



DOCUMENT-IDENTIFIER: US 2973471 A

TITLE: Analysis techniques based on nuclear magnetic resonance

DATE-ISSUED: February 28, 1961

INVENTOR-NAME: ARMISTEAD FONTAINE C; TIRICO ARTHUR L

 $\text{US-CL-CURRENT: } \underline{324/303}, \ \underline{175/393}, \ \underline{175/404}, \ \underline{175/405.1}, \ \underline{175/50}, \ \underline{73/152.03}, \ \underline{73/152.11}$

lear	Generate Collection Print Fwd Refs Bkwd Refs	Generate OAC
Te	erm	Documents
SI	ELECTIVELY	1533502
SI	ELECTIVELIES	0
SI	ELECTIVELYS	5
CI	HOOSE	195605
CI	HOOSES	71152
CI	HOSEN	1031379
CI	HOSENS	4
CI	HOOSING	146694
CI	HOOSINGS	8
CI	HOOSABLE	258
CI	HOOSABLES	0
Ċł ((L73 AND ((SELECT\$4 OR SELECTIVELY OR CHOOSE OR HOSEN OR CHOOSING OR CHOOSABLE OR CHOICE) SAME CONTROL\$4 OR EVALUAT\$4 OR PIN OR DIODE OR RELAY R SWITCH\$4 OR ANALYSIS OR ANALYZ\$4 OR	
II (7. S7	ONTROLLABLE) SAME (ISOLAT\$4 OR INDIVIDUAL\$2 OR NDEPENDENT\$2 OR SEPARAT\$4 OR RESPECTIV\$3) SAME IUNE OR TUNED OR TUNING OR TUNABLE OR ALIGN\$4) AME (COMPONENT OR ELEMENT OR CIRCUIT OR IRCUITRY))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	3

Change Format Display Format: -

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 2 of 2 returned.

☐ 1. Document ID: US 20040257073 A1

L76: Entry 1 of 2

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: <u>324/300</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw. De

2. Document ID: US 2973471 A

L76: Entry 2 of 2

File: USOC

Feb 28, 1961

US-PAT-NO: 2973471

DOCUMENT-IDENTIFIER: US 2973471 A

TITLE: Analysis techniques based on nuclear magnetic resonance

DATE-ISSUED: February 28, 1961

INVENTOR-NAME: ARMISTEAD FONTAINE C; TIRICO ARTHUR L

US-CL-CURRENT: 324/303, 175/393, 175/404, 175/405.1, 175/50, 73/152.03, 73/152.11

Full Title Citation Front Review Classification Date Reference Claims RWC Crava De Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Term Documents

TRANSMISSION	2189534
TRANSMISSIONS	152195
SENT	946560
SENTS	16672
EXCITATION	269482
EXCITATIONS	8138
CURRENT	3250337
CURRENTS	430856
BELOW	4393015
BELOWS .	844
ABOVE	7153626
(L75 AND ((LAG\$4 OR LEAD\$4 AND BELOW OR ABOVE OR FRONT OR BACK OR BEHIND OR AHEAD OR BEFORE OR AFTER) SAME ((TRANSMIT\$4 OR TRANSMISSION OR SENT OR SEND\$3 OR EXCIT\$4 OR EXCITATION) WITH (CURRENT)))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Display Format: Change Format

Previous Page Next Page Go to Doc#

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 3 of 3 returned.

1. Document ID: US 20040257073 A1

L83: Entry 1 of 3

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Drawe De

C 2. Document ID: US 20040257073 A1, DE 10316557 A1

L83: Entry 2 of 3

File: DWPI

Dec 23, 2004

DERWENT-ACC-NO: 2004-814821

DERWENT-WEEK: 200504

COPYRIGHT 2007 DERWENT INFORMATION LTD

TITLE: Elementary antenna e.g. for magnetic resonances and antenna array with several such elementary antennas, has section axis extending from first section, with first auxiliary circle arranged besides it

Full Title Citation Front Review Classification Date Reference Claims KWC Draw De Claims NWC De Clai

US-PAT-NO: 3434043

DOCUMENT-IDENTIFIER: US 3434043 A

TITLE: NUCLEAR MAGNETIC RESONANCE PROBE APPARATUS HAVING DOUBLE TUNED COIL SYSTEMS

FOR SPECTROMETERS EMPLOYING AN INTERNAL REFERENCE

DATE-ISSUED: March 18, 1969

INVENTOR-NAME: NELSON FORREST A

US-CL-CURRENT: <u>324/310</u>; <u>324/322</u>

	Generate
Perm	Documents
AUXILIARY	752387
AUXILIARIES	37878
AUXILIARYS	18
AUXILLIARY	4784
AUXILLIARIES	231
AUXILLIARYS	0
ADDITIONAL	3402015
ADDITIONALS	50
SEPARATE	3066152
SEPARATES	365227
(L1 AND (((AUXILIARY OR AUXILLIARY OR ADDITIONAL OR SEPARATE OR ANOTHER OR SUPPLEMENTAL\$2 OR "ADJACENT\$2") SAME (COMPONENT OR ELEMENT OR CIRCUIT OR CIRCUITRY)) SAME ((INDUCT\$4 OR INDUCTIVELY) SAME (COUPL\$4 OR DE-COUPL\$4)) SAME (PARALLEL) SAME ((LENGTH OR DISTANCE) SAME (SECTION OR PORTION\$4 OR SUBSECTION\$4 OR SUB-SECTION\$4 OR SEGMENTATION OR PART OR SEGMENTABLE OR SECTIONABLE OR SUBSTRUCTURE OR SUBARRAY OR SUBARRAY) SAME (AXIS OR AXES))))).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	-

Display Format: - Change Format

<u>Previous Page</u> <u>Next Page</u> <u>Go to Doc#</u>

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 12 of 12 returned.

1. Document ID: US 20040257073 A1

L88: Entry 1 of 12

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KøtC	Drawu De
	•											
	2	n		110.22	21604 4	······································				***************************************	··········	

2. Document ID: US 3321604 A

L88: Entry 2 of 12

File: USOC

May 23, 1967

US-PAT-NO: 3321604

DOCUMENT-IDENTIFIER: US 3321604 A

TITLE: Electronic oven

DATE-ISSUED: May 23, 1967

INVENTOR-NAME: STECCA ANTHONY J; BARNAS LOUIS A; DOKOS SOPHOCLES J; JARZEMBSKI

WILLIAM B ; NORRIS PAUL C

US-CL-CURRENT: 219/709, 219/745, 219/750, 331/101, 333/232

Full	Title	Citation	Front	Review	Classification	Date	Reference	,	Claims	ROME	Drave De

3. Document ID: US 3278868 A

L88: Entry 3 of 12

File: USOC

Oct 11, 1966

Jul 5, 1960

Dec 17, 1957

US-PAT-NO: 3278868

DOCUMENT-IDENTIFIER: US 3278868 A

TITLE: Cavity resonator

DATE-ISSUED: October 11, 1966

INVENTOR-NAME: ALFRED KACH

US-CL-CURRENT: 333/231

Full Title Citation Front Review Classification Date Reference Claims RWC Draws De

File: USOC

US-PAT-NO: 2944133

L88: Entry 4 of 12

DOCUMENT-IDENTIFIER: US 2944133 A

TITLE: Radio frequency dielectric heating apparatus

DATE-ISSUED: July 5, 1960

INVENTOR-NAME: TIBBS CHRISTOPHER E M

US-CL-CURRENT: <u>219/770</u>; <u>219/778</u>, <u>333/219</u>

Full Title Citation Front Review Classification Date Reference Claims KWIC Draw De

File: USOC

US-PAT-NO: 2817064

L88: Entry 5 of 12

DOCUMENT-IDENTIFIER: US 2817064 A

TITLE: Signal coupling system

DATE-ISSUED: December 17, 1957

INVENTOR-NAME: CARLSON DAVID J

US-CL-CURRENT: 333/24R; 333/235, 333/32, 334/3, 334/85

Full Title Citation Front Review Classification Date Reference Claims KMC Draw De

6. Document ID: US 2784378 A

L88: Entry 6 of 12 File: USOC Mar 5, 1957

US-PAT-NO: 2784378 -

DOCUMENT-IDENTIFIER: US. 2784378 A

TITLE: Magnetically controlled microwave structures

DATE-ISSUED: March 5, 1957

INVENTOR-NAME: YAGER WILLIAM A

US-CL-CURRENT: 332/163; 332/173, 333/230, 333/24.1, 333/81B

Full Title Citation Front Review Classification Date Reference

7. Document ID: US 2764742 A

L88: Entry 7 of 12

File: USOC

Sep 25, 1956

US-PAT-NO: 2764742

DOCUMENT-IDENTIFIER: US 2764742 A

TITLE: Variable tuning structures

DATE-ISSUED: September 25, 1956

INVENTOR-NAME: CADY CHARLES E; WAGNER ROSWELL W

US-CL-CURRENT: 333/221, 336/144

Full Title Citation Front Review Classification Date Reference

8. Document ID: US 2626356 A

L88: Entry 8 of 12

File: USOC

Jan 20, 1953

US-PAT-NO: 2626356 .

DOCUMENT-IDENTIFIER: US 2626356 A

TITLE: Ultrahigh-frequency generator

DATE-ISSUED: January 20, 1953

INVENTOR-NAME: GIBSON JOHN E

US-CL-CURRENT: 331/70; 315/5.16, 315/5.44, 330/45, 331/181, 331/98, 333/235

Full Title Citation Front Review Classification Date Reference

9. Document ID: US 2602146 A

L88: Entry 9 of 12

File: USOC

Jul 1, 1952

US-PAT-NO: 2602146

DOCUMENT-IDENTIFIER: US 2602146 A

TITLE: Microwave generator

DATE-ISSUED: July 1, 1952

INVENTOR-NAME: FRITZ LUDI

US-CL-CURRENT: 315/5.18; 315/5.48, 315/5.51, 315/5.54, 333/230, 333/231

Full Title Citation Front Review Classification Date Reference Claims RMC Draw De

☐ 10. Document ID: US 2543891 A

L88: Entry 10 of 12

File: USOC

Mar 6, 1951

US-PAT-NO: 2543891

DOCUMENT-IDENTIFIER: US 2543891 A

TITLE: Variable ultra high frequency circuits

DATE-ISSUED: March 6, 1951

INVENTOR-NAME: CARLSON WENDELL L; HARVEY ROBERT L

US-CL-CURRENT: 331/96, 331/170, 331/181, 333/235, 334/81

Full Title Citation Front Review Classification Date Reference Claims RMC Draw De

☐ 11. Document ID: US 2413836 A

L88: Entry 11 of 12

File: USOC

Jan 7, 1947

US-PAT-NO: 2413836

DOCUMENT-IDENTIFIER: US 2413836 A

TITLE: High-frequency tuning device

DATE-ISSUED: January 7, 1947

INVENTOR-NAME: LARSON GILBERT C

US-CL-CURRENT: 333/221; 334/67

Full Title Citation Front Review Classification Date Reference Claims KWC Draw De

☐ 12. Document ID: US 2107387 A

L88: Entry 12 of 12

File: USOC

Feb 8, 1938

US-PAT-NO: 2107387

DOCUMENT-IDENTIFIER: US 2107387 A

TITLE: Vacuum tube with tank circuits

DATE-ISSUED: February 8, 1938

INVENTOR-NAME: KIMBALL POTTER RALPH

 $\begin{array}{c} \text{US-CL-CURRENT: } \underline{331/96}; \ \underline{313/246}, \ \underline{313/248}, \ \underline{313/249}, \ \underline{313/253}, \ \underline{313/254}, \ \underline{313/270}, \\ \underline{313/284}, \ \underline{313/285}, \ \underline{313/293}, \ \underline{313/312}, \ \underline{313/325} \ , \ \underline{315/44}, \ \underline{315/60}, \ \underline{331/167} \\ \end{array}$

First Hit Clear Generate Collection Print Fwd Refs Bkwd Refs

Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

1. Document ID: US 20040257073 A1

L90: Entry 1 of 1

File: PGPB

Dec 23, 2004

PGPUB-DOCUMENT-NUMBER: 20040257073

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040257073 A1

TITLE: Antenna element and antenna arrangement for magnetic resonance applications

PUBLICATION-DATE: December 23, 2004

INVENTOR-INFORMATION:

NAME

CITY

STATE

COUNTRY

Greim, Helmut

Adelsdorf

DE

US-CL-CURRENT: 324/300

Full	Title Citation Front Review Classification Date Reference Sequences Attachi	nents Claims KW	IC Dramu I
Clear	Generate Collection Print Fwd Refs Bkwd Refs	Generate	OACS
	Term	Documents	
	MAGNETIC	1728571	
	MAGNETICS	15795	
	MRI	38717	•
	MRIS	605	
	NMR	178514	
	NMRS	309	
	RESONAN\$2	0	
	RESONAN	1140	•
	RESONANA	. 3	
	RESONANAE	3	
	RESONANAT	8	
	(L89 AND ((MAGNETIC ADJ RESONAN\$2) OR MRI OR NMR)).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1	